[illegible]

10. [illegible]

11. [illegible]

12. [illegible]

Dial gauge canner procedure at 11 pounds pressure at altitudes of 0-2,000 feet

1-pound cans (size: 301×408)	99 minutes
½-pound cans (size: 307×200.25)	70 minutes

[illegible]

Weighted gauge canner procedure with 10 pounds weight at altitudes of 0-1,000 feet

1-pound cans (size: 301×408)	99 minutes
½-pound cans (size: 307×200.25)	70 minutes

[illegible]

[illegible]

13. [illegible]

14. [illegible] (I[illegible] 25[illegible] 35 [illegible] 45[illegible] 60 [illegible])

[illegible]

15. [illegible]

16. [illegible] 12 [illegible]

17. [illegible]

18. [illegible]

19. [illegible]

20. [illegible]

[illegible]

FNH-00022	[illegible]	Free
FNH-00023	[illegible]	Free
FNH-00125	[illegible]	Free
FNH-00128	[illegible]	Free
FNH-00129	[illegible]	Free
FNH-00222	[illegible]	Free
FNH-00223	[illegible]	Free
FNH-00325	[illegible]	Free

[illegible]

[illegible] 1- [illegible] 0- 11/ 0- [illegible] 11

[illegible]

2024 University of Alaska Fairbanks.

06-06/[illegible]/11-24